Futaba Accessories




(actual size)

S8 (\$108) Landing gear retract 0.88" × 1.73" × 1.62" 1.7 oz./111.1 oz.-in.









S10 (S110) Heavy duty sail winch 1.50" × 2.93" × 3.50" 8.8 oz./122.3 oz.-in. Stroke: 21.8"/3.8 sec. \$89.95 (not actual size)

S14 (S114) High torque servo 1.50" × 2.93" × 2.06" 8.8 oz./167 oz.-in. 0.29 sec./60 degrees







S11Linear output servo
0.75" × 1.75" × 1.50"
1.4 oz./25.1 oz.-in.
\$39.95





S25 (S125) Arm type sail control servo 140 degrees (max.) 0.88" × 1.75" × 1.69" 2.3 oz./129.3 oz.-in. 0.62 sec./60 degrees 140 degree/arm type \$44.95





\$28 (\$28L/\$128) Standard precision servo 0.75" × 1.56" × 1.56" 1.8 oz./48.7 oz.-in. 0.24 sec./60 degrees \$34.95






NOTE: "S" preceding servo number designates standard Futaba 3-pin mini connector and 1320us neutral. "S1" designates version with J-Series mini connectors and 1520us neutral.


All prices and specifications subject to change without notice.

S29 (S29L/S129) Heavy duty, water tight servo 0.88" × 1.75" × 1.69" 2.1 oz./48.7 oz.-in. 0.25 sec./60 degrees \$39.95




S30 (S30L/S130) Ball bearing servo 0.75" × 1.50" × 1.31" 1.4 oz./55.6 oz.-in. 0.24 sec./60 degrees \$49.95

\$30G (\$130G) Ball bearing retract servo 0.75" × 1.50" × 1.31" 1.4 oz./65.3 oz.-in. 0.34 sec./60 degrees \$54.95



S31SH (S131SH) Coreless high speed servo 0.79" × 1.59" × 1.40" 1.7 oz./44.5 oz.-in. 0.16 sec./60 degrees \$59.95


S31S (S31SL/S131S) Coreless motor servo 0.79" × 1.59" × 1.40" 1.7 oz./69.5 oz.-in. 0.22 sec./60 degrees \$59.95



Frusba Frusba

S32H (S32HL/S132H) High speed mini servo 0.68" × 1.43" × 1.18" 1.1 oz./25.0 oz.-in. 0.13 sec./60 degrees \$44.95


S32 (S32L/S132) Mini servo 0.68" × 1.43" × 1.18" 1.1 oz./33.4 oz.-in. 0.16 sec./60 degrees \$44.95





S33 (S133) Micro precision servo 0.50" × 1.06" × 1.12" 0.6 oz./27.8 oz.-in. 0.22 sec./60 degrees \$44.95



S34G (S134G) High power retract servo 1.14" × 2.32" × 1.97" 2.8 oz./173.8 oz.-in. 0.33 sec./60 degrees \$59.95 **S34** (S34L/S134) Quarter scale servo 1.14" × 2.32" × 1.97" 2.7 oz./112.6 oz.-in. 0.22 sec./60 degrees \$49.95







R2GS 2 Channel Double tuned 1.50" × 2.06" × 0.75" 1.3 oz. 27, 72 and 75MHz \$39.95


R3L 3 Channel Double tuned 1.46" × 2.11" × 0.75" 1.4 oz. 27 MHz \$49.95 (not shown)




R7H 7 Channel Triple tuned/AM 20KHz ACS* 1.56" × 2.68" x 0.78" 1.9 oz. 72 and 75MHz/AM \$89.95



R2H (R102H) 2 Channel Micro/20KHz ACS* 1.18" × 1.56" × 0.81" 0.77 oz. 27, 72 and 75 MHz \$54.95




R107M 7 Channel Triple tuned/FM 1.56" × 2.68" × 0.78" 1.9 oz. 53 and 72MHz/FM \$109.95




R3F 3 Channel Triple tuned 1.56" × 2.27" × 0.75" 1.6 oz. 27, 72 and 75MHz \$49.95 (not shown)

R4F 4 Channel Triple tuned 1.56" × 2.27" × 0.75" 1.6 oz. 27, 72 and 75MHz \$59.95



R118GP 8 Channel PCM (Pulse Code Modulation) 20KHz ACS* 1.65" × 2.23" × 0.94" 1.9 oz. 53 and 72MHz FM/PCM (50MHz available soon) \$179.95



R4H (R104H) 4 Channel Micro/20KHz ACS* 1.24" × 2.00" × 0.75" 1.0 oz. 27, 72 and 75MHz \$69.95




R107Q 7 Channel Triple tuned/20KHz ACS* 1.65" × 2.23" × 0.94" 1.9 oz. 50, 53 and 72 KHz/FM \$129.95



R6L 6 Channel Triple tuned 1.56" × 2.62" × 0.75" 1.7 oz. 27, 72 and 75MHz \$79.95

Futaba Electronic Speed Controls



MC6 (MC106) Speed control system Capacity: 7.2v/40A (continuous/64A surge) Forward only with variable brake Controller unit: 0.56" × 2.00" × 0.98" Driver unit: 0.81" × 1.97" × 0.87" System weight: 2.0 oz.



MC6B (MC106B)

Capacity: 6-7.2v/40A (continuous)/64A (surge)
Proportional forward with full power reverse
Controller unit: 0.56" × 2.00" × 0.98"
Driver unit: 0.83" × 1.97" × 1.44"
Includes battery and motor connector System weight: 2.9 oz.



Includes battery and motor connectors

\$89.95

Futaba Airborne and Road Pack Systems.

For the R/C hobbyist with more than one model a Futaba Airborne or Road Pack is the perfect solution.

Each Futaba Airborne or Road Pack includes a receiver, servos, battery case (dry cell) or NiCd power pack, switch harness, servo trays, hardware and servo horn assortments.

The wide range of Futaba Airborne and Road Pack Systems provide the enthusiast with a complete selection of popular component configurations for virtually every type of R/C model.

Your selection also includes the receiver crystal to match the operating frequency of your transmitter. Make sure you specify the correct frequency and respect FCC restrictions regarding your type of model.

Many new Futaba systems now offer the additional option of J-connectors (1520us) as well as standard (1310us) versions. These systems can be operated by all Futaba transmitters but the components (servos, receiver and harness) cannot be interchanged with standard mini connector systems.

2 Channel/Include switch harness and hardware

R2GS receiver

2-S29 servos 5.5 oz./27, 72, 75MHz \$79.95

R2GS receiver

2-S32 servos 3.5 oz./27, 72, 75MHz

R2GS receiver

2-S32H servos 3.5 oz./27, 72, 75MHz

R2GS receiver

2-S33 servos 2.5 oz./27, 72, 75MHz \$89.95

R2GS receiver

2-S28 servos 4.9 oz./27, 72, 75MHz \$69.95

3 Channel

R3F receiver

2-S28 servos/NR-4C NiCd 8.5 oz./72, 75MHz \$94.95

R3L receiver

2-S28 servos/NR-4C NiCd 8.5 oz./27 MHz \$94.95

4 Channel/Standard mini connectors

R4F receiver

2-S28 servos/NR-4M NiCd 8.5 oz./27, 72, 75MHz \$104.95

R4H receiver

2-S28 servos/NR-4M NiCd 7.9 oz./27, 72, 75MHz

R4H receiver

2-S30 servos/NR-4M NiCd 7.1 oz./27, 72, 75MHz

R4H receiver

2-S32 servos/NR-4C NiCd 7.2 oz./27, 72, 75MHz \$134.95

R4H receiver

2-S32 servos/battery case 7.5 oz. /27, 72, 75MHz (w/Alkaline AA batteries, not included) \$119.95

R4H receiver

2-S32H servos/NR-4C NiCd 7.2 oz./27, 72, 75MHz \$134.95

R4H receiver


2-S32H servos/battery case 7.5 oz./27, 72, 75MHz (w/Alkaline AA batteries, not included) \$119.95

R4H receiver

2-S33 servos/NR-4G NiCd 4.2 oz./72, 75MHz \$134.95

4 Channel/J-connectors

R104H receiver 7.5 oz./27, old 72, 75MHz \$119.95



Futaba Accessories

M-TC-AM AM Trainer cord

M-TC-FM G-Series FM trainer cord \$8 95


Curl Cord 3PG Magnum remote NiCd extension cord. \$13.95

DT-1 Digital tachotimer 4-function, LCD readout combination flight timer/tachometer \$69.95

TSC-1 PCM Tacho-sensor \$12.95

FC-1 Audible flight checker Monitors receiver battery/ low voltage warning. Aids model location/ triggers signal when transmitter is switched off. Body: $1.36" \times 2.11" \times 0.77"$ 0.78 oz. Buzzer: 1.02" × 1.02" × 0.77"

0.67 oz.



7 Channel/Standard mini connectors

6 Channel R6L receiver

\$174.95 R6L receiver

\$234.95 **R6L** receiver

\$214.95

\$214.95

R6L receiver

R7H receiver 4-S28 servos/NR-4M NiCd 12.4 oz./72, 75MHz \$184.95

R7H receiver 4-S32H servos/NR-4M NiCd 9.6 oz./72, 75MHz \$224 95

R7H receiver 4-S33 servos/NR-4M NiCd 7.6 oz./72, 75MHz \$224.95

R7H receiver 4-S30 servos/NR-4M NiCd 10.8 oz./72, 75MHz \$244.95

R7H receiver 4-S31S servos/NR-4M NiCd 12.0 oz./75MHz \$284.95

4-S128 servos/NR-4J NiCd 12.4 oz./53, 72MHz FM \$204.95

R107M receiver 4-S131S servos/NR-4J NiCd 12.0 oz./53, 72MHz FM \$304.95

R107M receiver 4-S132H servos/NR-4J NiCd 9.6 oz./53, 72MHz FM \$244.95

R107M receiver 4-S133 servos/NR-4K NiCd 7.6 oz./53, 72MHz FM \$244.95

4-S130 servos/NR-4J NiCd 10.8 oz./50, 53, 72MHz FM \$284.95

R107Q receiver 4-S131S servos/NR-4J NiCd 12.0 oz./50, 53, 72MHz FM \$324.95

R107Q receiver 4-S132H servos/NR-4J NiCd 9.6 oz./50, 53, 72MHz FM \$264.95

R107Q receiver 4-S128 servos/NR-4J NCd 12.4 oz./50, 53, 72MHz FM \$224.95

8 Channel/PCM Systems only (J-connectors)

R118GP receiver 4-S130 servos/NR-4J NiCd 10.8 oz./50, 53, 72MHz PCM \$319.95

R118GP receiver 4-S131S servos/NR-4J NiCd 12.0 oz./50, 53, 72MHz PCM \$359.95

Frequency Modules

Transmitter

TM1-53FM J-Series/53MHz FM \$39.95

TM2-72AM J-Series/72MHzAM \$34.95

TG-27AM 3PG Magnum/27MHz AM \$34.95

TG-72AM 3PG Magnum/72MHz AM (72, 160, 72.320 and 72.960 only) Transmitter

TG-75AM 3PG Magnum/75MHz AM \$34.95

TD-27AM 3EGX/27MHz AM \$34.95

TD-72AM 3EGX/72MHz AM (72, 160, 72.320 and 72.960 only) \$34.95

TD-75AM 3EGX/75MHz AM \$34.95

Transmitter

TF-53FM PCM and G-Series/53MHz FM \$49.95

TF-72AM G-Series/72MHz AM \$34.95

TF-72FM PCM and G-Series/72MHz FM \$49.95

Receiver

RM1-53FM J-Series/53MHz FM \$34.95

RM2-72AM, J-Series/72MHz AM \$29.95

Transmitter/Receiver

TRM1-53FM J-Series/53MHz FM \$73.95

TRM2-72AM J-Series/72MHz AM \$63.95



NR-4C (NR-4H) Square pack NiCd 1.25" × 1.25" × 2.18" 4.8v/500mAH 4.0 oz. \$15.95




NR-4M (NR-4J) Flat pack NiCd 2.25" × 1.97" × 0.56" 4.8v/500mAH 3.3 oz. \$15.95

NR-41 (J-Series only) Extra high power NiCd 2.64" × 2.05" × 1.04" 4.8v/1000mAH 6.7 oz. \$34.95 (not shown)



(Parenthesis indicate Power Pack with J-connectors for 3PG/G Series FM J-Series PCM) NR-4G (NR-4K) Lightweight NiCd 2.18" × 1.18" × 0.56" 4.8v/250mAH 2.0 oz. \$15.95

NR-4EA (NR-4EB) Flat pack NiCd 2.40" × 2.44" × 0.73" 4.8v/500mAH 4.2 oz. \$18.95 (not shown)



NR-4NM (NR-4NB) High power NiCd 2.40" × 1.81" × 0.67" 4.8√700mAH 4.4 oz. \$24.95



NR-5 High voltage NiCd 2.87" × 1.97" × 0.59" 6v/500mAH 4.2 oz. \$19.95

NR-5PM (NR-5PB) High voltage flat pack NiCd 3.35" × 1.26" × 0.69" 6v/450mAH 3.1 oz. \$19.95 (not shown)



NR-5G

Lightweight/High voltage NiCd 2.68" × 1.18" × 0.56" 6v/250mAH 2.5 oz. \$19.95

Chargers

FBC-1 Receiver NiCd charger 4.8v/45mA \$11.95

FBC-5B Receiver NiCd charger For NR-4IM (NR-4I) only 4.8v/100mA \$14.95

FBC-2A Dual charger 4.8v/45mA and 9.6v/45mA \$19.95

FBC-2B Dual charger 4.8v/45mA and 12v/45mA \$19.95

FBC-2L Dual charger J-Series connectors 4.8v/45mA and 9.6v/45mA \$19.95

FBC-2C Dual charger (220v) 4.8v/45mA and 9.6v/45mA \$19.95

FBC-2D Dual charger (220v) 4.8v/45mA and 12v/45mA \$19.95

FBC-8B (1) Dual charger G-Series AM systems, 3EGX, 4L and 2NL/2PKA NiCd conversions Rx standard mini Tx power plug 4.8v/45mA and 9.6v/45mA \$14.95

FBC-8B (2) Dual charger PCM/J-Series systems and 3PG Rx J-Series/Tx DIN plug 4.8v/45mA and 9.6v/45mA \$14.95

FBC-8B (3) Dual charger 2E and 2F NiCd conversions Rx standard mini 4.8v/45mA and 9.6v/45mA \$14.95

FBC-8B (4) Dual charger G-Series FM systems Rx J-Series/Tx power plug 4.8v/45mA and 9.6v/45mA \$14.95

Transmitter NiCds

NT-8C FN-Series, 2E (27MHz) and 2F systems Transmitter NiCd 9.6v/500mAH \$29.95

NT-8H PCM, J and G-Series Transmitter NiCd 9.6v/500mAH \$29.95

NT-8P 3PG Magnum Transmitter NiCd w/case 9.6v/450mAH \$29.95

NT-8LP 2PKA Magnum Jr. Transmitter NiCd 9.6v/500mAH \$29.95

NT-8J 2NL Attack Transmitter NiCd 9.6v/500mAH \$29.95

2-500RS 2L and 4L Transmitter NiCd sticks (requires 4) 2-AA NiCds/2.4v/500mAH \$6.95

Combo Packs

FBPK-1 Combo pack 2E 72/75MHz NT-10/NR-4C/FBC-2B \$79.95

FBPK-2 Combo pack 2E 27MHz and 2F NT-8C/NR-4C/FBC-2A \$64.95

FBPK-4 Combo pack For 2L NiCd conversion 2-500RSx4/NR-4C/FBC-2A \$64.95

FBPK-5 Receiver NiCd Combo NR-4I/FBC-5B \$44.95

FBPK-10 Combo pack For 2NL/Attack NT-8J/NR-4M/FBC-8D(1) \$59.95

FBPK-11/Combo Pack For 2PKA/Magnum Jr. NT-8LP/NR-4M/FBC-8B(1) \$59 95



